



BIOMEDICAL FREEZERS



BIOMEDICAL FREEZERS -25°C

Efficold, with more than 30 years of experience as a manufacturer of cooling equipment and innovative solutions for the biomedical sector, already has divisions targeting the food, beverage, hospitality, supermarket, ice cream and special projects sectors. We also manufacture surgical masks and FFP2 masks.

We are part of the Onnera Group, a leading medical equipment manufacturing group. ONNERA GROUP is an international business group dedicated to providing equipment solutions for catering laundry, refrigeration applications and medical manufacturing.

FAGOR, EFFICOLD, ONNERA CONTRACT, EDENOX, DOMUS, ASBER, DANUBE and PRIMER are leaders in different sectors, markets and countries. A global group that markets its products on five continents and now also includes EFFIMED.



LFV-300





| Model | |
|---------------------------------------|------------------------|
| -25? Biomedical Freezer | 19085273 |
| Model | LFV-300 |
| Cabinet Type | VERTICAL |
| Capacity (Lt) | 268 |
| Internal Dimensions (W x D x H) (mm) | 500 x 460 x 1235 |
| External Dimensions (W x D x H) (mm) | 700 x 640 x 1792 |
| Packaging Dimensions (W x D x H) (mm) | 757 x 717 x 1885 |
| Net Weight (Kg) | 90 |
| Performance | |
| Temperature Range | -10°C » -25°C |
| Ambient Temperature | 25°C / 60% HR |
| Climatic Class | Ν |
| Controler | Microprocesator |
| Monitor | LCD Display |
| Refrigeration | |
| Compressors | 1pz |
| Cooling Method | Direct |
| Defrost Mode | Manual |
| Refrigerant | R600a |
| Insulation Material/Thickness | 100 |
| | |
| Construction | |
| External Material | Powder coated material |

effimed

| Internal Material and Shelves | Aluminum plate with spraying |
|-------------------------------|------------------------------|
| Shelves | 6/7 Drawers |
| Outer Door Lock | Yes |
| Access Port | 1 |
| Weels and Caster | 4/2 |
| DATA/Interval/Recording Time | NO |

| Alarms | |
|-------------------|-----|
| Temperature Range | Yes |
| Electrical | Yes |
| System | Yes |

| Electrical | |
|-------------------------------|-------------|
| Power Supply/Frequency | 220V / 50Hz |
| Energy Consuption Kw/h 24 hrs | 1.21 |